





EMC Components

(Flat Cable Suppression Cores)


















Item		Other Dimensions		Typical Impedance (ohm)		Shape Fig	Z-F Fig
Material	RP AxBxD (mm)	C	F	25MHz	100MHz		
M1	RP 15.5x4.8x11.4	12.7	0.6	39	142	1	RP-01
L92	RP 23.3x3x7	20	0.9	25	86	2	RP-02
L92	RP 23.3x3x12	20	0.9	37	113	2	RP-03
L92	RP 24.5x4.7x12	20	0.8	45	130	1	RP-04
L92	RP 28x7.8x14.6	23	1.5	52	126	3	RP-05
L92	RP 28.5x6.5x8	23.5	0.9	38	115	1	RP-06
L92	RP 28.5x6.5x18	23.5	0.9	67	180	1	RP-07
L92	RP 29.2x7.8x25	25.4	1.3	83	184	1	RP-08
L92	RP 31x5x12	27	1.0	40	120	1	RP-09
L92	RP 33.5x6.5x12	27	1.4	38	112	1	RP-10
L92	RP 33.5x6.5x20	27	1.4	55	150	1	RP-11
L92	RP 38.5x4x12	35	0.8	41	122	1	RP-12
L92	RP 40x6.5x12	35	1.4	39	114	1	RP-13
L92	RP 40x10x12.5	32	2.0	49	129	2	RP-14
L92	RP 45.2x6.5x12	40	1.4	38	114	1	RP-15
L92	RP 49.6x6.5x12	44	1.4	38	113	1	RP-16
L92	RP 57.6x6.5x12	52	1.4	43	129	1	RP-17
L92	RP 60x12x12.7	48	2.2	48	140	2	RP-18




EMC Components

(Flat Cable Suppression Cores)




EMC Components

(Flat Cable Suppression Cores)



Test Condition :



Item	Dimension (mm)					Typical Impedance (ohm)		Z-F Fig
	A	C	D	E	G	25MHz	100MHz	
RPU 460324-4	46	42	24	3	0.4	83	210	RP-19
RPC 460324-8					0.8	61	153	RP-20
RPU 460524-4	46	42	24	5	0.4	108	275	RP-21
RPC 460524-8					0.8	80	210	RP-22
RPU 560324-4	56	52	24	3	0.4	83	210	RP-19
RPC 560324-8					0.8	61	153	RP-20
RPU 560524-4	56	52	24	5	0.4	108	275	RP-21
RPC 560524-8					0.8	80	210	RP-22

